

# Quantum Mechanics

*Mrs.T.Pandimeena*

*Guest Lecturer*

*Department of physics (SF)*

*CPA College, Bodinayakanur*

# Modern Physics: Quantum Mechanics

2

- ▶ Physics changed drastically in the early 1900's
- ▶ New discoveries —  
*Relativity and Quantum Mechanics*
- ▶ **Relativity**
  - ▶ Changed the way we think about space and time
- ▶ **Quantum mechanics**
  - ▶ Changed our conceptions of matter.

# Quantum mechanics

- ▶ The quantum mechanical world is VERY different!
  - ▶ Energy not continuous, but can take on only particular discrete values.
  - ▶ Light has particle-like properties, so that light can bounce off objects just like balls.
  - ▶ Particles also have wave-like properties, so that two particles can interfere just like light does.
  - ▶ Physics is not deterministic, but events occur with a probability determined by quantum mechanics.

# Origins of quantum mechanics

4

- Late 1800s:
  - Maxwell's equations describe propagation of EM waves in detail.
  - Electricity and magnetism progress from basic science to technological applications.
- Early 1900s:
  - Further Investigations into light, and interaction of light with matter, hint at some scary ideas
  - Simultaneous with relativity


*Photoelectric effect,*

*Blackbody radiation spectrum,*

**say that energy is quantized in discrete units.**

# Energy quantization in a

Swinging pendulum.  
Larger amplitude, larger energy



Quantum mechanics:

Not every swing amplitude is possible  
energy cannot change by arbitrarily small steps

# Energy quantization

6


- ▶ Energy can have only certain discrete values

Energy states are separated by  $\Delta E = hf$ .

$f$  = frequency

$h$  = Planck's constant =  $6.626 \times 10^{-34}$  J-s

$\Delta E = hf = 3.3 \times 10^{-34}$  J for pendulum  
= spacing between energy levels



Suppose the pendulum has

Period = 2 sec


Freq = 0.5 cycles/sec

- $E = mgd = (1 \text{ kg})(9.8 \text{ m/s}^2)(0.2 \text{ m})$   
~ 2 Joules
- $\Delta E_{\min} = hf = 3.3 \times 10^{-34} \text{ J} \ll 2 \text{ J}$
- *Quantization not noticeable*

# Energy of light

7


- ▶ Quantization also applies to other physical systems
  - ▶ In the classical picture of light (EM wave), we change the brightness by changing the power (energy/sec).
  - ▶ This is the amplitude of the electric and magnetic fields.
  - ▶ Classically, these can be changed by arbitrarily small amounts



# Quantization of light

- Quantum mechanically, brightness can only be changed in steps, with energy differences of  $hf$ .

► Possible energies for green light ( $\lambda=500$  nm)

- One quantum of energy:  
*one photon*
  - Two quanta of energy  
*two photons*
  - etc
- Think about light as a particle rather than wave.
- 
- |  |         |
|--|---------|
|  | $E=4hf$ |
|  | $E=3hf$ |
|  | $E=2hf$ |
|  | $E=hf$  |

# The particle perspective

- ▶ Light comes in particles called photons.
- ▶ Energy of one photon is  $E=hf$   
 $f$  = frequency of light
- ▶ Photon is a particle, but moves at speed of light!
  - ▶ This is possible because it has zero mass.
- ▶ Zero mass, but it does have momentum:
  - ▶ Photon momentum  $p=E/c$

# Photon properties of light


10

- ▶ Photon of frequency  $f$  has energy  $hf$
- ▶ Red light made of ONLY red photons
- ▶ The intensity of the beam can be increased by increasing the number of photons/second.
- ▶ Photons/second = energy/second = power


# But light is a wave!

11

- ▶ Light has wavelength, frequency, speed
  - ▶ Related by  $f\lambda = \text{speed}$ .
- ▶ Light shows interference phenomena
  - ▶ Constructive and destructive interference



# Wave behavior of light: interference



PHYS 407 Fall 2007

# Particle behavior of light: photoelectric effect

- ▶ A metal is a bucket holding electrons
- ▶ Electrons need some energy in order to jump out of the bucket.

Light can supply this energy.

Energy transferred from the light  
to the electrons.

Electron uses some of the energy  
to break out of bucket.

Remainder appears as energy of  
motion (kinetic energy).



*A metal is a  
bucket of electrons.*

# Unusual experimental results<sup>14</sup>

- ▶ Not all kinds of light work
- ▶ Red light does not eject electrons

More red light doesn't either


No matter how intense the red light,  
no electrons ever leave the metal

*Until the light wavelength passes a certain threshold, no electrons are ejected.*



# Wavelength dependence

15



*Short wavelength:  
electrons ejected*

*Long wavelength:  
NO electrons ejected*

*Threshold depends on  
material*



Hi-energy photons


Lo-energy photons

# Einstein's explanation

16

- ▶ Einstein said that light is made up of photons, individual 'particles', each with energy  $hf$ .
- ▶ **One** photon collides with **one** electron - knocks it out of metal.
- ▶ If photon doesn't have enough energy cannot knock electron out.
- ▶ Intensity ( = # photons / sec ) doesn't change this.

Minimum frequency  
(maximum wavelength)  
required to eject electron



# Summary of Photoelectric effect

17

- ▶ Explained by quantized light.
- ▶ **Red** light is low frequency, **low energy**.
- ▶ (Ultra)**violet** is high frequency, **high energy**.
  
- ▶ Red light will not eject electron from metal, no matter how intense.
  - ▶ Single photon energy  $hf$  is too low.
- ▶ Need ultraviolet light

# Photon properties of light



18

- ▶ Photon of frequency  $f$  has energy  $hf$
- ▶ Red light made of ONLY red photons
- ▶ The intensity of the beam can be increased by increasing the number of photons/second.
- ▶ Photons/second = energy/second = power

## Interaction with matter

- Photons interact with matter one at a time.
- Energy transferred from photon to matter.
- Maximum energy absorbed is photon energy.

# Photon Energy



A red and green laser are produce light at a power level of 2.5mW. Which one produces more photons/second?

- A. Red
- B. Green
- C. Same


$$\frac{\# \text{ photons}}{\text{second}} = \frac{\text{Power}}{\text{Energy/photon}} = \frac{\text{Power}}{hf}$$

Red light has less energy per photon so needs more photons!

# Why is all this so important?

20

- ▶ Makes behavior of light wave quite puzzling.
- ▶ Said that one photon interacts with one electron, electron ejected.
- ▶ If this wavefront represents one photon, where is the photon?
- ▶ Which electron does it interact with?
- ▶ How does it decide?



# Neither wave nor particle

21

- ▶ Light in some cases shows properties typical of waves
- ▶ In other cases shows properties we associate with particles.
- ▶ Conclusion:
  - ▶ Light is not a wave, or a particle, but something we haven't thought about before.
  - ▶ Reminds us in some ways of waves.
  - ▶ In some ways of particles.

# Photon interference?



22

Do an interference experiment again.

But turn down the intensity until only ONE photon at a time is between slits and screen

Is there still interference?

*Only one photon present here*




# Single-photon interference


23



1/30 sec  
exposure



1 sec  
exposure



100 sec  
exposure

- ▶ P.A.M. Dirac (early 20th century):
  - ▶ “... each photon interferes with itself.  
Interference between different photons never occurs.”

We now can have ‘coherent’ photons in a laser,  
(Light Amplification by Stimulated Emission of Radiation)  
invented 40 years ago.

These photons can in fact interfere.

# Probabilities


25

- ▶ We detect absorption of a photon at camera.
- ▶ Cannot predict where on camera photon will arrive.
- ▶ Position of an individual photon hits is determined probabilistically.
- ▶ Photon has a **probability amplitude** through space.  
Square of this quantity gives probability that photon will hit particular position on detector.
- ▶ The photon is a probability wave!  
The wave describes what the particle does.

# Compton scattering

26

- ▶ Photon loses energy, transfers it to electron
- ▶ Photon loses momentum transfers it to electron
- ▶ Total energy and momentum conserved



Photon energy  $E=hf$


Photon mass = 0

Photon momentum  $p=E/c$

# Compton scattering

27


- ▶ Photons can transfer energy to beam of electrons.
- ▶ Determined by conservation of momentum, energy.
- ▶ Compton awarded 1927 Nobel prize for showing that this occurs just as two balls colliding.




Arthur Compton,  
Jan 13, 1936

# The Black Body spectrum

28



- ▶ Light radiated by an object characteristic of its *temperature*, not its surface color.
- ▶ Spectrum of radiation changes with temperature



# Spectrum changes with temperature


29

▶ The wavelength of the peak of the blackbody distribution was found to follow

$$\lambda_{\max} = \frac{\text{constant}}{\text{Temperature}}$$


▶ Peak wavelength shifts with temperature

- ▶  $\lambda_{\max}$  is the wavelength at the curve's peak
- ▶ T is the absolute temperature of the object emitting the radiation




# The 'color' of a black body

- ▶ Eye interprets colors by mixing cone responses.
- ▶ Different proportions make object appear different colors.




$\lambda=440 \text{ nm}$        $\lambda=530 \text{ nm}$        $\lambda=580 \text{ nm}$




# 'Orange' hot

- ▶ Temperature = 4000 K
- ▶ Combine three cone responses  
Long-wavelength cone weighted most heavily




# 'White' hot

- ▶ Temperature = 5000 K
- ▶ Spectrum has shifted so that colors are more equally represented — white hot



# Representation on color chart




- ▶ Apparent color of blackbody at various temperatures.

# Classical theory

34

- ▶ Classical physics had absolutely no explanation for this.
- ▶ Only explanation they had gave ridiculous answer.
- ▶ Amount of light emitted became infinite at short wavelength
  - ▶ *Ultraviolet catastrophe*



# Explanation by quantum mechanics

- ▶ Blackbody radiation spectrum could only be explained by quantum mechanics.
- ▶ Radiation made up of individual photons, each with energy  $(\text{Planck's const}) \times (\text{frequency})$ .
- ▶ Very short wavelengths have very high energy photons.
- ▶ Minimum energy is 1 photon.
- ▶ For shorter wavelength's even 1 photon is too much energy, so shortest wavelengths have very little intensity.